0

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/733,401	12/12/2003	Mi-Sook Nam	8733.993.00-US	9111
	7590 09/28/2007 ONG & ALDRIDGE LLP	EXAMINER		
1900 K STREET, NW			SHERMAN, STEPHEN G .	
WASHINGTON, DC 20006			ART UNIT	PAPER NUMBER
			2629	
	•			
			MAIL DATE	DELIVERY MODE
			09/28/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/733,401	NAM ET AL.			
Office Action Summary	Examiner	Art Unit			
•					
The MAILING DATE of this communication app	Stephen G. Sherman	2629 orrespondence address			
Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was preply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timused and will expire SIX (6) MONTHS from a cause the application to become ABANDONE.	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 31 A	1) Responsive to communication(s) filed on <u>31 August 2007</u> .				
,	·				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ☐ Claim(s) 1,2,4-8,10,11,13-15 and 19-23 is/are 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1,2,4-8,10,11,13-15 and 19-23 is/are 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration.	•			
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on <u>08 July 2004</u> is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	☑ accepted or b) ☐ objected to be drawing(s) be held in abeyance. Section is required if the drawing(s) is object.	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal F 6) Other:				

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3 August 2007 has been entered. Claims 1,2,4-8,10,11,13-15 and 19-23 are pending. Claims 3, 9, 12 and 16-18 have been cancelled.

Response to Arguments

2. Applicant's arguments with respect to claims 1,2,4-8,10,11,13-15 and 19-23 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

Application/Control Number: 10/733,401 Page 3

Art Unit: 2629

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. Claims 1-2, 4-8, 10-11, 13-15 and 19-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ozawa et al. (US 2006/0152658) in view of Ozawa (US 7,092,062) and further in view of Kubota et al. (US 2002/0171792).

Regarding claim 1, Ozawa et al. disclose a trans-reflective liquid crystal display device comprising:

a plurality of data and gate lines defining a plurality of pixels (Figure 12 and paragraph [0160] explain that scanning lines 151 and data lines 152 have pixels 153 formed at their intersection.), the pixels having a reflection region and a transmission region (Figure 6B shows a pixel structure containing a reflection region and a transmission region.);

a timing controller that receives, converts, and outputs image data (Figure 21 and paragraphs [0193]-[0194] explain that timing generator 573 controls the display-data outputting source 570 and the display-data processing circuit 571 to output display data.);

Art Unit: 2629

a gate driver that receives a gate signal from the timing controller (Figure 12) shows a scanning driver circuit 157 as explained in paragraphs [0160] and [0195].);

a data driver that receives a data signal from the timing controller (Figure 12 shows a data driver circuit 158 as explained in paragraphs [0160] and [0195].);

a liquid crystal display panel with a TFT array substrate and a color filter substrate, the liquid crystal display panel displaying the image according to a gate pulse and a data voltage applied by the gate driver and the data driver (Figure 13 and paragraphs [0160]-[0161] and [0169] explain that there is a TFT substrate and a substrate for the color filters, and also the scanning and data drivers driver the scanning and data lines, which would be done by gate pulses and data voltages.); and

a backlight (Paragraph [0072] and Figure 6B).

Ozawa et al. fail to explicitly teach of a switching unit that determines the output signal of the timing controller according to a transmission mode or reflection mode, wherein the backlight is turned on in a transmission mode to sequentially transmit the light into the transmission region and is turned off in a reflection mode.

Ozawa discloses that in a display utilizing a reflective and transmissive mode in which the modes are switched based upon the detection of the ambient light (Column 1, lines 18-35.), wherein the backlight is turned on in a transmission mode to sequentially transmit the light into the transmission region and is turned off in a reflection mode (Column 1, lines 18-35, the examiner understands that when in the reflection mode the backlight would be turned off since power savings is achieved.).

Art Unit: 2629

mode.

time the invention was made to use the switching mode taught by Ozawa with the trans-

Therefore it would have been obvious to "one of ordinary skill" in the art at the

reflective liquid crystal device taught by Ozawa et al. in order to present a distinct

display under dark conditions while saving power.

Ozawa et al. and Ozawa fail to disclose that the backlight is a sequential backlight including red, green, and blue lamps, and a backlight controller connected to the sequential backlight to control the timing of light emissions in the transmission

Kubota et al. disclose a trans-reflective liquid crystal display device comprising a a sequential backlight including red, green, and blue lamps (Paragraph [0089]), wherein the backlight is turned on in a transmission mode to sequentially transmit light into the transmission region (Paragraph [0089] explains that red, green and blue light is sequentially applied in the transmission mode.) and is turned off in a reflection mode (Paragraph [0088] explains that the display is driven in the reflective mode in the same manner as prior art reflective liquid crystal display panels, meaning that the backlight is turned off during reflective mode. See paragraph [0005].); and

a backlight controller connected to the sequential backlight to control the timing of light emission in the transmission mode (Paragraph [0089] explains the timing is controlled to switch the three colors every 8 ms, which means that there is inherently a controller to control the timing.).

Therefore it would have been obvious to "one of ordinary skill" in the art at the time the invention was made to use a sequential backlight as taught by Kubota et al.

Art Unit: 2629

with the trans-reflective display taught by the combination of Ozawa et al. and Ozawa in order to obtain a liquid crystal display device capable of displaying excellent images with low power consumption, regardless of the brightness of the surrounding environments (See Kubota et al., paragraph [0029]).

Regarding claim 2, Ozawa et al., Ozawa and Kubota et al. disclose the transreflective liquid crystal display device of claim 1.

Kubota et al. also disclose wherein the color filter substrate includes a color filter formed in the reflection region (Paragraphs [0028]-[0029]).

Regarding claim 4, Ozawa et al., Ozawa and Kubota et al. disclose the transreflective liquid crystal display device of claim 1.

Although Ozawa et al., Ozawa and Kubota et al. fail to explicitly teach wherein the data driver includes a MUX circuit shorting three adjacent data lines, the MUX circuit being turned on in the transmission mode and turned off in the reflection mode, the examiner interprets that given the combination of references, that when the backlight is on that the same display data will be transmitted to three adjacent data line (red, green and blue), as explained in Kubota et al. paragraph [0089] which states that red, green and blue will be emitted from the backlight and thus the same signal will be applied to the data lines, and that when the backlight is OFF that the display data applied to the pixels will all be different since the reflection through the color filter will create the color of the display.

Art Unit: 2629

Regarding claim 5, Ozawa et al., Ozawa and Kubota et al. disclose the transreflective liquid crystal display device of claim 1.

Kubota et al. also disclose wherein the lamp backlight includes a light emitting diode (Paragraph [0089]).

Regarding claim 6, Ozawa et al., Ozawa and Kubota et al. disclose the transreflective liquid crystal display device of claim 1.

Ozawa et al. also disclose wherein the cell gap between in the transmission region is twice that in the reflection region (Figure 6B shows that the cell gap in the transmission region, represented by d, can be seen to be twice the size of the gap in the reflection region.).

Regarding claim 7, Ozawa et al., Ozawa and Kubota et al. disclose the transreflective liquid crystal display device of claim 1.

Kubota et al. also disclose wherein the timing controller divides one frame of display data into three sub-frames (Paragraph [0089] explains that the backlight is switched every 8 mms dependent upon red, green and blue, meaning that there will be three sub-frames, one for each color.).

Regarding claim 8, this claim is rejected under the same rationale as claim 1.

in Control Number: 10/100,45

Art Unit: 2629

Regarding claim 10, please refer to the rejection of claim 4.

Regarding claim 11, please refer to the rejection of claims 1 and 2, and furthermore Ozawa et al. also disclose a reflective electrode in the reflection region to reflect light incident from outside the liquid crystal panel (Figure 6B shows the reflecting electrode 4 as explained in paragraph [0118].).

Regarding claim 13, Ozawa et al., Ozawa and Kubota et al. disclose the liquid crystal display device of claim 11.

Ozawa et al. also disclose wherein the liquid crystal panel includes:

a second substrate (Figure 6B shows substrate 20.); and

a liquid crystal layer between the first and second substrate (Figure 6B shows a liquid crystal layer 50.).

Regarding claim 14, Ozawa et al., Ozawa and Kubota et al. disclose the liquid crystal display device of claim 11.

Ozawa et al. also disclose wherein the switching device includes a thin film transistor (Figure 18).

Regarding claim 15, this claim is rejected under the same rationale as claim 6.

Regarding claim 19, please refer to the rejection of claim 1.

Art Unit: 2629

Regarding claim 20, this claim is rejected under the same rationale as claim 4.

Regarding claim 21, Ozawa et al., Ozawa and Kubota et al. disclose the transreflective liquid crystal display of claim 1.

Kubota et al. also disclose wherein the light from the backlight passes through the color filter substrate unfiltered (Paragraphs [0028]-[0029]).

Regarding claim 22, Ozawa et al., Ozawa and Kubota et al. disclose the method of claim 8.

Kubota et al. also disclose wherein the light from the backlight does not pass through a color layer (Paragraphs [0028]-[0029]).

Regarding claim 23, Ozawa et al., Ozawa and Kubota et al. disclose the liquid crystal display device of claim 11.

Kubota et al. also disclose wherein the color layer is only in the reflective region (Paragraphs [0028]-[0029]).

Conclusion

Application/Control Number: 10/733,401 Page 10

Art Unit: 2629

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen G. Sherman whose telephone number is (571) 272-2941. The examiner can normally be reached on M-F, 8:00 a.m. - 4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amr Awad can be reached on (571) 272-7764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SS

24 September 2007

AMR A. AWAD
SUPERVISORY PATENT EXAMINER
Ame Home I have